

Sioux Falls VA Medical Center

Access Control System - Campus Upgrade General Layout

Base Bid: Installation of Additional PACs units and Accessory Hardware.

Includes the installation of card readers, electric delayed egress locking hardware, request-to-exit motion sensors and door monitoring equipment at the following door locations. As noted within, replace the existing card readers or combination keypad card readers with FIPS201 compliant models. Locations and device counts are not provided.

Door	Building	Description	Reader	Electric Lock	Door Contact	Request-to-Exit	Misc. Modification Notes
1	5	Police Armory/Evidence Room F05A	1	1	1		Request to exit button/arming & disarming of Intrusion system w/PIN
2	5	Cashier's Office	1	1	1		Request to exit button/arming & disarming of Intrusion system w/PIN
3	5	Primary Care 1 East	2	1	1	1	
4	5	Primary Care 2 West	2	1	1	1	
5	5	Emergency Room 1 Hallway	2	1	1	1	
6	5	Emergency Room 2 Exam Area	2	1	1	1	
7	5	Emergency Room 3 Nurse's Station	2	1	1	1	
8	5	Specialty Care South Double Door	2	1	1	1	
9	5	Specialty Care North Double Door	2	1	1	1	
10	5	Specialty Care North Door	2	1	1	1	
11	5	Lab Conference Room D39	1	1	1	1	Inside Door
12	5	Stairwell 4 Lab Door	1	1	1	1	Outside coming in
13	5	Lab Double Doors	1	1	1	1	
14	5	Lab North Door	1	1	1	1	
15	5	SPS E19	1	1	1	1	
16	5	SPS E13	1	1	1	1	
17	5	SPS E 8	1	1	1	1	
18	5	Pathology Door A84	1	1	1	1	
19	5	Telecom Closet E04	1	1	1		
20	5	Telecom Closet B90	1	1	1		
21	5	Telecom Closet B97	1	1	1		
22	5	Telecom Closet D09	1	1	1		
23	5	Telecom Closet B22	1	1	1		
24	5	Telecom Closet B59	1	1	1		
25	5	Telecom Closet F58	1	1	1		
26	5	Telecom Closet E23	1	1	1	1	

Attachment A

27	5	Telecom ClosetA47	1	1	1		
28	5	Mail Room 192	1	1	1	1	
29	5	Vending Storage 198	1	1	1		
30	5	Retail Storage 143	1	1	1	1	
31	5	Retail Store 141	1	1	1	1	Arming and Disarming of Canteen Intrusion w/PIN
32	5	Telecom Closet 156A	1	1	1		
33	5	Telecom Closet 150A	1	1	1		
34	5	Telecom Closet 137	1	1	1		
35	5	Telecom Closet 131A	1	1	1		
36	5	Telecom Closet 188	1	1	1		
37	5	Telecom Closet 195C	1	1	1		
38	5	Canteen Office 298A	1	1	1	1	Arming and Disarming of Canteen Office Intrusion w/PIN
39	5	Telecom Closet 270	1	1	1		
40	5	Telecom Closet 242	1	1	1		
41	5	Telecom Closet 296C	1	1	1		
42	5	Telecom Closet 233	1	1	1		
43	5	Telecom Closet 333	1	1	1		
44	5	Telecom Closet 342A	1	1	1		
45	5	Telecom Closet 372	1	1	1		
46	5	Telecom Closet 349C	1	1	1		
47	5	Telecom Closet 432A	1	1	1		
48	5	Telecom Closet 440A	1	1	1		
49	5	Telecom Closet 452A	1	1	1		
50	5	Telecom Closet 508B	1	1	1		
51	1	IRM, 02	1	1	1	1	Reader With PIN
52	1	IRM Office, 04	2	2	2	2	Reader With PIN
53	1	Telecom Closet 012	1	1	1		
54	1	Telecom Closet 037	1	1	1		
55	1	PIV Office, 149	1	1	1		
56	1	PIV Office, 148	1	1	1		
57	1	Telecom Closet 107D?	1	1	1		
58	1	Telecom Closet 166?	1	1	1		
59	1	Telecom Closet 141A	1	1	1		
60	1	Telecom Closet 313	1	1	1		

Attachment A

61	1	Telecom Closet 358A	1	1	1		
62	28	Front Door	1	1	1	1	Arming and Disarming of Research Intrusion w/PIN
63	28	West Door	1	1	1	1	
64	28	Telecom Closet 123	1	1	1		
65	8	North Door 101	1	1	1	1	Arming and Disarming of Laundry/New Linen Intrusion w/PIN
66	8	South Door 103	1	1	1	1	
67	8	Telecom Closet 110	1	1	1		
68	38	RO File 108 North Door	1	1	1	1	Reader With PIN
69	38	RO File 108 South Door	1	1	1	1	Reader With PIN
70	38	RO Benefits Office 137	1	1	1	1	
71	38	RO Benefits Office Break Room 131	1	1	1	1	Into RO
72	38	RO Benefits Office Mail Room 132	1	1	1	1	
73	38	RO Benefits Office ISO 130	1	1	1		Reader With PIN
74	38	RO Benefits Office Computer Room 129	1	1	1		Reader With PIN
75	38	RO Benefits Office Director's Suite 118	1	1	1		
76	38	Telecom Room 122	1	1	1		
77	38	Business Office 112	1	1	1	1	
78	38	Publications 117	1	1	1	1	
79	T15	Daycare Front Door	1	1	1		Request to Exit button / Reader With PIN
80	T15	Daycare Rear Door	1	1	1		Request to Exit button / Reader With PIN
81	T15	Telecom Closet 115	1	1	1		
82	11	Telecom Closet 102	1	1	1		
83	15	Front Door	1	1	1	1	
84	15	Back Door	1	1	1	1	
85	15	Telecom Closet 107	1	1	1		
86	16	Front Door	1	1	1	1	
87	16	Back Door	1	1	1	1	
88	16	Telecom Closet 002	1	1	1		
89	16	Telecom Closet 003	1	1	1		
90	17	Front Door	1	1	1	1	
91	17	Back Door	1	1	1	1	
92	17	Telecom Closet 103B	1	1	1		

Totals			101	93	93	41	
---------------	--	--	-----	----	----	----	--

Replace the Existing Doors

Door	Building	Description
1	1	Telecom Closet 141A
2	1	Telecom Closet 358A

Replacement of existing locking hardware (mag-locks) and installation of electronic strikers or pins

Door	Building	Description	Misc. Modification Notes
1	5	Morgue Door (Door 17)	Needs Electronic Striker as opposed to mag-lock
2	5	Stairwell #1 (Door 25)	Needs Electronic Striker as opposed to mag-lock
3	1	East Tower Door (Door 28)	Needs Electronic Striker as opposed to mag-lock
4	1	West Tower Door (Door 29)	Needs Electronic Striker as opposed to mag-lock
5	5	Stairwell #7 (Door 22)	Needs Electronic Striker as opposed to mag-lock
6	5	West Dock Door (Door 8)	Needs Electronic Striker as opposed to mag-lock
7	5	Lab Entrance (Door 6)	Needs Electronic Striker as opposed to mag-lock
8	1	NW Main Entrance (Door 31)	Install drop down pin hardware